Promotional I.T Solutions

## AR679
Bampton Power Bank - 10,000 mAh

Print Process: Pad Print, 4CP Digital Print

Product Size: 90.5 x 63 x 22 mm

Colours: Product Colour: Black, White

POWER BANK
Capacity 10000mAh 37WH   Input:DC 5V/2A (Max)
Output1: DC 5V/2.1A (Max) Output2: DC 5V/2.1A (Max)
CE RoHS
Made in China

Front
Print : 45 x 70 mm
4CP Direct Digital Print
Pad Print

Front
Print : 45 x 60 mm
4CP Direct Digital Print
Pad Print

100%
10mm

Please follow these artwork guidelines: • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any critical colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All details need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

Promotional I.T Solutions

AR679
Bampton Power Bank - 10,000 mAh

Print Process: Pad Print, 4CP Digital Print

Product Size: 90.5 x 63 x 22 mm

Colours: Product Colour: Black, White

Top
Print size : 100mm x 100mm
Pad Print

Top
Print size : 70mm x 70mm
Alex Pad Print

70%
10mm

Please follow these artwork guidelines: • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any critical colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All details need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

Promotional I.T Solutions

AR679

Bampton Power Bank - 10,000 mAh

Print Process: Pad Print, 4CP Digital Print

Product Size: 90.5 x 63 x 22 mm

Colours: Product Colour: Black, White

Front
Print : 60 x 35 mm
Pad Print

100%
10mm

Please follow these artwork guidelines: • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any critical colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All details need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.