
# Promotional Discussions


#### **AR732s**

### **USB Data Blocker (Stock)**

Print Process: 4CP Digital PrintProduct Size: 42 x 26 x 11 mmColours: Product Colour: Black, Blue, White



Front Print Size : 22 x 21mm 4CP Direct Digital



Black, Blue, White Body



Please follow these artwork guidelines: • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any critical colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All details need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

# Promotional 🚺 Solutions

#### **AR732s**

### **USB Data Blocker (Stock)**

Print Process: 4CP Digital Print Product Size: 42 x 26 x 11 mm Colours: Product Colour: Black, Blue, White



Standard Backing Card Front Size : 85 x 110 mm 4CP Print

Standard Backing Card Rear Size : 85 x 110 mm 4CP Print

your device.

The USB Data Blocker is compatible with most smart phones and tablets and is designed to block the unauthorised access of your stored data while charging



10mm


Please follow these artwork guidelines: • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any critical colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All details need to be "embedded" in the file, i.e. no linked artwork should be provided · Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.

# Promotional Discussions

#### **AR732s**

### **USB Data Blocker (Stock)**

Print Process: 4CP Digital PrintProduct Size: 42 x 26 x 11 mmColours: Product Colour: Black, Blue, White



Please follow these artwork guidelines: • Use and supply vector-based artwork • Illustrator compatible EPS or PDF with all fonts outlined • Indicate any critical colour details with the correct PMS colour • All Pantone colours need to be supplied as Pantone Coated (PMS C) colours • All details need to be "embedded" in the file, i.e. no linked artwork should be provided • Bleed is crucial when printing edge to edge. Artwork must extend beyond the finished and trim size dimensions.